



PREFINISHED METAL ROOFING OVER ROOF UNDERLAY

SELECTED FIBRE CEMENT SOFFIT LINING
50x35mm MIN.METAL FLASHING
6mm MAX.GAP WITH MS SEALANT

WALL UNDERLAY
20mm DRAINED CAVITY
STOTHERM PANEL
STOTHERM RENDER SYSTEM

NOTE:
MAX.ANGLE OF SOFFIT RESTRICTED TO BETWEEN 91°-115°

SCALE 1:5

STOTHERM SYSTEM	STOTHERM INSULATED FACADE SYSTEM	ST 603
	REVERSE RAKING SOFFIT TO WALL WITH FLASHING	2017