



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Ref. 130000004504/D

Rev. no. 1.8

## StoPur WV 100 Komp. A transparent

Revision Date 21.06.2021

See pg.16 for StoPur WV 200 Komp. B

Print Date 27.06.2021

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Trade name StoPur WV 100 Komp. A transparent

Unique Formula Identifier (UFI) M4T1-C034-500G-P8UP

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Coating material

Reserved for industrial and professional use.

Uses advised against This information is not available.

#### 1.3 Details of the supplier of the safety data sheet

Sto SE & Co. KGaA  
Ehrenbachstr. 1  
D - 79780 Stühlingen  
Telephone: +49 7744 57-0  
Telefax: +49 7744 57 -2178  
infoservice@sto.com

E-mail address of person responsible for the SDS European Union Sto SE & Co. KGaA  
TIQ Quality Management Department  
p.hammerschmitt@sto.com

1.4 Emergency telephone number European Union Phone: +44 (0)1235 239 670

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Long-term (chronic) aquatic hazard, Category 3 H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

Hazard pictograms



Signal word	:	Warning
Hazard statements	:	H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P280 Wear protective gloves. <b>Response:</b> P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse. <b>Disposal:</b> P501 Contents/container to be disposed of through approved disposal contractor or taken to municipal collection point.

### Hazardous components which must be listed on the label:

Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	1065336-91-5  01-2119491304-40-XXXX	Aquatic Chronic 1; H410 Aquatic Acute 1; H400 Skin Sens. 1A; H317 Repr. 2; H361f  M-Factor (Acute aquatic toxicity): 1	≥ 0,25 - < 1
pyrithione zinc	13463-41-7 236-671-3	Repr. 1B; H360D Acute Tox. 2; H330 Acute Tox. 3; H301	≥ 0,0002 - < 0,0025

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

		<p>STOT RE 1; H372          Eye Dam. 1; H318          Aquatic Acute 1; H400          Aquatic Chronic 1;          H410</p> <hr/> <p>M-Factor (Acute aquatic toxicity): 1.000          M-Factor (Chronic aquatic toxicity): 10</p>	
--	--	--	--

For explanation of abbreviations see section 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

General advice	When symptoms persist or in all cases of doubt seek medical advice.
Inhalation	Move to fresh air.
Skin contact	Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. If symptoms persist, call a physician.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.
Ingestion	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media      CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Unsuitable extinguishing media      High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Fire may cause evolution of:  
 Carbon monoxide  
 Carbon dioxide (CO<sub>2</sub>)  
 Nitrogen oxides (NO<sub>x</sub>)  
 Exposure to decomposition products may be a hazard to health.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

<b>5.3 Advice for firefighters</b>	Wear self-contained breathing apparatus for firefighting if necessary.
Additional advice	Use water spray to cool unopened containers. Water for fire fighting must not be emptied into drains, earth or waters. Contaminated water and earth must be disposed of according to official local regulations.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	Ensure adequate ventilation. Use personal protective equipment.
<b>6.2 Environmental precautions</b>	The product should not be allowed to enter drains, water courses or the soil. If the product contaminates rivers and lakes or drains inform respective authorities.
<b>6.3 Methods and material for containment and cleaning up</b>	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly.
<b>6.4 Reference to other sections</b>	Refer to protective measures listed in sections 7 and 8.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Advice on safe handling	Do not get in eyes or mouth or on skin. Prevent unauthorized access. Provide sufficient air exchange and/or exhaust in work rooms. Comply with the statutory regulations on health and safety at work.
Hygiene measures	Wash hands before breaks and immediately after handling the product. After washing hands, replenish lost skin oil by means of oily skin ointment. When using do not eat, drink or smoke. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Keep working clothes separately.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Keep out of reach of children. Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
---	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

	Observe label precautions. Protect from frost, heat and sunlight.
Advice on protection against fire and explosion	When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, fumes.
Advice on common storage	Keep away from oxidizing agents and strongly acid or alkaline materials.
<b>7.3 Specific end use(s)</b>	For further information, see also Technical Data Sheet for the product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

The lists that were valid during the creation were used as basis. Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

##### Appropriate engineering controls

Ensure good ventilation; if possible, use / install internal extractor equipment.

##### Individual protection measures, such as personal protective equipment

a) Eye/face protection	Safety glasses with side-shields conforming to EN166
b) Skin protection Hand protection	<p>Wearing time: &lt; 30 min Minimum thickness: 0,11 mm Gloves made of the following materials are suitable as protection from splashes: Gloves made of nitrile rubber, e.g. KCL 740 Dermatril® (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-87-300, kcl-uk@kcl.de), or equivalent. Wetted gloves must be disposed of immediately!</p> <p>Wearing time: &gt; 480 min Minimum thickness: 0,4 mm Gloves in the following material can be used for prolonged contact up to max. 8 hours:</p> <p>Gloves made of nitrile rubber, e.g. KCL 730 Camatril® Velours (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-87-300, kcl-uk@kcl.de), or equivalent. Dispose of wetted gloves at the end of the shift!</p> <p>The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it. Cotton undergloves are recommendable when wearing protective gloves! To avoid skin problems reduce the wearing of gloves to the required</p>

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

	<p>minimum. Only use chemical-protective gloves with CE-labelling of category III.</p>
Body Protection	<p>Impervious clothing If splashes are likely to occur, wear: Solvent-resistant apron and boots</p>
c) Respiratory protection	<p>In case of inadequate ventilation wear respiratory protection. Respiratory protection must be worn when mixing or decanting these components &gt; 1 hour / day. Recommended Filter type: A/P2 combination filter, alternatively a respiratory protective device independent from the surrounding air. Respiratory protection complying with EN 14387. For rescue and maintenance work in storage tanks use self-contained breathing apparatus.</p>
General precautions and other information	<p>The instructions for the personal protective equipment apply to the handling of both individual components and of the ready-to-use mixture.</p>
<b>Environmental exposure controls</b>	
General advice	<p>The product should not be allowed to enter drains, water courses or the soil. If the product contaminates rivers and lakes or drains inform respective authorities.</p>

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	liquid
Colour	colourless
Odour	odourless
Odour Threshold	No data available
pH	5 - 8 (23 °C) Concentration: 100 %
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	> 100 °C
Evaporation rate	not applicable
Flammability (solid, gas)	not applicable
Upper explosion limit / Upper flammability limit	No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

Lower explosion limit / Lower flammability limit	No data available
Vapour pressure	No data available
Vapour density	No data available
Density	ca. 1,0 g/cm <sup>3</sup> (23 °C)
Solubility(ies) Water solubility	completely miscible
Partition coefficient: n-octanol/water	not determined
Auto-ignition temperature	not auto-flammable
Decomposition temperature	No data available
Viscosity Viscosity, dynamic	ca. 100 mPa.s (23 °C)
Explosive properties	Not explosive
Oxidizing properties	Not applicable

### 9.2 Other information

Flow time	No data available
-----------	-------------------

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	This information is not available.
---------------------	------------------------------------

### 10.4 Conditions to avoid

Conditions to avoid	Direct sources of heat. Strong sunlight for prolonged periods.
---------------------	---

### 10.5 Incompatible materials

Materials to avoid	Strong acids and strong bases Strong oxidizing agents
--------------------	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity Based on available data, the classification criteria are not met.

Acute inhalation toxicity Based on available data, the classification criteria are not met.

Acute dermal toxicity Based on available data, the classification criteria are not met.

#### Components:

##### pyrithione zinc:

Acute oral toxicity LD50 (Rat): 221 mg/kg

Acute inhalation toxicity LC50 (Rat): 0,14 mg/l  
Test atmosphere: dust/mist

#### Skin corrosion/irritation

##### Product:

Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

##### Product:

Based on available data, the classification criteria are not met.

#### Components:

##### pyrithione zinc:

Causes serious eye damage.

#### Respiratory or skin sensitisation

##### Product:

May cause an allergic skin reaction.  
Does not cause respiratory sensitisation.

#### Components:

##### Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate:

Method OECD Test Guideline 406  
May cause an allergic skin reaction.

#### Germ cell mutagenicity

##### Product:

Genotoxicity in vitro Based on available data, the classification criteria are not met.

#### Carcinogenicity

##### Product:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

##### Product:

Effects on fertility Based on available data, the classification criteria are not met.

Developmental Toxicity Based on available data, the classification criteria are not met.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

### Components:

**Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate:**

Effects on fertility Suspected of damaging fertility.

### **pyrithione zinc:**

Developmental Toxicity May damage the unborn child.

### **STOT - single exposure**

#### Product:

Based on available data, the classification criteria are not met.

### **STOT - repeated exposure**

#### Product:

Based on available data, the classification criteria are not met.

### Components:

#### **pyrithione zinc:**

Assessment Causes damage to organs through prolonged or repeated exposure.

### **Aspiration toxicity**

#### Product:

Based on available data, the classification criteria are not met.

### **Toxicology, Metabolism, Distribution**

#### **Further information**

#### Product:

The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive 1272/2008. (See sections 2 and 3 for details).

### **11.2 Information on other hazards**

#### **Endocrine disrupting properties**

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **Experience with human exposure**

#### Product:

General Information Long-term or repeated contact with the product leads to degreasing of the skin and can cause nonallergenic contact skin damage (contact dermatitis) and / or the resorption of substances.  
  
Solvent sprays can cause irritation and reversible damage to the eye.

#### **Further information**

#### Product:

Remarks : The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive 1272/2008. (See sections 2 and 3 for details).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity

##### **Product:**

Toxicity to fish No data available

##### **Components:**

##### **Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate:**

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,97 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants EC50 (Desmodesmus subspicatus (green algae)): 1,68 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) 1

Toxicity to microorganisms EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) NOEC: 1 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

##### **pyrithione zinc:**

Toxicity to fish LC50 (Danio rerio (zebra fish)): 0,0104 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates EC50 (Daphnia (water flea)): 0,051 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants EC50 (Skeletonema costatum (marine diatom)): 0,0013 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0,00046 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) 1.000

Toxicity to fish (Chronic toxicity) NOEC: 0,00125 mg/l  
Exposure time: 28 d  
Species: Danio rerio (zebra fish)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) NOEC: 0,0022 mg/l  
Exposure time: 21 d  
Species: Daphnia (water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

### 12.2 Persistence and degradability

**Product:**

Biodegradability No data available

**Components:**

**Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate:**

Biodegradability Test Type: aerobic  
not rapidly degradable  
Biodegradation: 38 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**pyrithione zinc:**

Biodegradability Inoculum: activated sludge  
rapidly degradable  
Biodegradation: > 85 %  
Method: OECD Test Guideline 303A

### 12.3 Bioaccumulative potential

**Product:**

Bioaccumulation No data available

**Components:**

**Reaction mass of Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate:**

Bioaccumulation Bioaccumulation is unlikely.

**pyrithione zinc:**

Partition coefficient: n-octanol/water log Pow: 1,21  
Method: OECD Test Guideline 107

### 12.4 Mobility in soil

**Product:**

Mobility No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information Do not allow product to enter into ground water, bodies of water or sewage systems.  
Harmful to aquatic life with long lasting effects.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Product	The user is responsible for proper coding and marking of any waste. When used as recommended, the waste code can be selected according to the code of the European Waste Catalogue (EWC), category 17.09 "Other Construction and Demolition Waste" Unhardened product residues should be disposed of under the recommended waste code number.
Contaminated packaging	Packaging that is not properly emptied must be disposed of as the unused product. Empty packaging should be recycled through disposal systems.
Waste key for the unused product	08 01 12 Waste paint and varnish other than those covered by 08 01 11

### SECTION 14: TRANSPORT INFORMATION

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

#### 14.6 Special precautions for user

Remarks This information is not available.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks Not applicable

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

VOC  
Directive 2010/75/EU 2,1 %

VOC  
Directive 2004/42/EC 2,6 %  
27,3 g/l

EU limit value for this product (cat. A/j) :140 g/l  
This product contains max140 g/lVOC.

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals Not applicable

Further notes For further information, see also Technical Data Sheet for the product.

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: OTHER INFORMATION

Changes from the previous version are indicated by markings in the left-hand margin. The information in this Safety Data Sheet corresponds to our present state of knowledge and conforms to both national and EU legislation. The user's working conditions are, however, beyond our knowledge and control. The user is responsible for complying with all necessary legal requirements. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute any assurance of product properties.

### Full text of H-Statements

H301 : Toxic if swallowed.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H330 : Fatal if inhaled.  
H360D : May damage the unborn child.  
H361f : Suspected of damaging fertility.  
H372 : Causes damage to organs through prolonged or repeated exposure.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Dam. : Serious eye damage  
Repr. : Reproductive toxicity  
Skin Sens. : Skin sensitisation  
STOT RE : Specific target organ toxicity - repeated exposure

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. A transparent

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Other information

It is possible in the interim period that you may find different markings on packaging compared to the Material Safety Data Sheet until stocks have been used up. We ask for your understanding in this matter.

Department issuing MSDS

Abteilung TIQ  
Sto SE & Co. KGaA Stühlingen  
p.hammerschmitt@sto.com

Product code  
REG\_EU / EN

PROD0525

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

---

## StoPur WV 100 Komp. A transparent



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Ref. 130000002641/D

Rev. no. 1.14

## StoPur WV 100 Komp. B

Revision Date 17.06.2021

Print Date 25.06.2021

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Trade name StoPur WV 100 Komp. B

Unique Formula Identifier (UFI) 85R1-Q070-4003-FEF6

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Coating material

Reserved for industrial and professional use.

Uses advised against This information is not available.

#### 1.3 Details of the supplier of the safety data sheet

Sto SE & Co. KGaA  
Ehrenbachstr. 1  
D - 79780 Stühlingen  
Telephone: +49 7744 57-0  
Telefax: +49 7744 57 -2178  
infoservice@sto.com

E-mail address of person responsible for the SDS European Union Sto SE & Co. KGaA  
TIQ Quality Management Department  
p.hammerschmitt@sto.com

1.4 Emergency telephone number European Union Phone: +44 (0)1235 239 670

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H332: Harmful if inhaled.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Specific target organ toxicity - single exposure, Category 3, H335: May cause respiratory irritation.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

Respiratory system

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.  
 H332 Harmful if inhaled.  
 H335 May cause respiratory irritation.  
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
 P261 Avoid breathing vapours.  
 P280 Wear protective gloves.  
**Response:**  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P312 Call a POISON CENTER/ doctor if you feel unwell.  
**Disposal:**  
 P501 Contents/container to be disposed of through approved disposal contractor or taken to municipal collection point.

#### Hazardous components which must be listed on the label:

aliphatic polyisocyanate

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

	Index-No. Registration number		
aliphatic polyisocyanate	160994-68-3	Acute Tox. 4; H332 Skin Sens. 1; H317 STOT SE 3; H335 (Respiratory system) Aquatic Chronic 3; H412	≥ 90 - ≤ 100

For explanation of abbreviations see section 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

General advice	When symptoms persist or in all cases of doubt seek medical advice. First aider needs to protect himself.
Inhalation	Move to fresh air in case of accidental inhalation of vapours or decomposition products. Consult a physician after significant exposure.
Skin contact	Take off contaminated clothing and shoes immediately. Take off contaminated clothing and wash it before reuse. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. If symptoms persist, call a physician.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician. Eye rinsing bottle must be kept immediately to hand.
Ingestion	Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Contact with eyes or skin causes irritation. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons.
----------	--

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat symptomatically. When symptoms persist or in all cases of doubt seek medical advice.
-----------	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable extinguishing media CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Unsuitable extinguishing media High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

Fire may cause evolution of:  
Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.  
Complete suit protecting against chemicals

#### Additional advice

Use water spray to cool unopened containers.  
Water for fire fighting must not be emptied into drains, earth or waters.  
Contaminated water and earth must be disposed of according to official local regulations.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe fumes / aerosol  
Do not get in eyes, on skin, or on clothing.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Prevent unauthorized access.

#### 6.2 Environmental precautions

Prevent seepage into sewage system, workpits and cellars.  
Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Subsequently put in the waste container. Do not seal ( CO<sub>2</sub> may be given off )  
Clean contaminated surface thoroughly.  
Suitable cleaning agents  
Water  
Should not be released into the environment.

#### 6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Do not breathe vapours or spray mist. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Comply with the statutory regulations on health and safety at work. Do not re-use empty containers.
Hygiene measures	Take off immediately all contaminated clothing. Keep working clothes separately. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and immediately after handling the product. After washing hands, replenish lost skin oil by means of oily skin ointment. When using do not eat, drink or smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Keep out of reach of children. Store in original container. Keep tightly closed. Protect from frost, heat and sunlight. Keep in a dry place.
Advice on common storage	Keep away from oxidizing agents, strongly acid or alkaline materials, as well as of amines, alcohols and water.

**7.3 Specific end use(s)** For further information, see also Technical Data Sheet for the product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

The lists that were valid during the creation were used as basis. Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

##### Appropriate engineering controls

Ensure good ventilation; if possible, use / install internal extractor equipment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

Washing facilities / water for rinsing eyes and skin should be available.

### Individual protection measures, such as personal protective equipment

- a) Eye/face protection                      Safety glasses with side-shields conforming to EN166
- b) Skin protection  
Hand protection
- Wearing time: < 30 min  
Minimum thickness: 0,11 mm  
Gloves made of the following materials are suitable as protection from splashes:  
Gloves made of nitrile rubber, e.g. KCL 740 Dermatril® (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-87-300, kcl-uk@kcl.de), or equivalent.  
Wetted gloves must be disposed of immediately!
- Wearing time: > 480 min  
Minimum thickness: 0,4 mm  
Gloves in the following material can be used for prolonged contact up to max. 8 hours:
- Gloves made of nitrile rubber, e.g. KCL 730 Camatril® Velours (Kächele-Cama-Latex GmbH, Hotline: 0049(0)6659-87-300, kcl-uk@kcl.de), or equivalent.  
Dispose of wetted gloves at the end of the shift!
- The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.  
Cotton undergloves are recommendable when wearing protective gloves!  
To avoid skin problems reduce the wearing of gloves to the required minimum.  
Only use chemical-protective gloves with CE-labelling of category III.
- Body Protection                              Impervious clothing  
If splashes are likely to occur, wear:  
Solvent-resistant apron and boots
- c) Respiratory protection                    In case of inadequate ventilation wear respiratory protection.  
Respiratory protection must be worn when mixing or decanting these components > 1 hour / day.  
Recommended Filter type:  
A/P2 combination filter, alternatively a respiratory protective device independent from the surrounding air.  
Respiratory protection complying with EN 14387.  
For rescue and maintenance work in storage tanks use self-contained breathing apparatus.
- General precautions and other information                      The instructions for the personal protective equipment apply to the handling of both individual components and of the ready-to-use mixture.
- Environmental exposure controls**
- General advice                                Prevent seepage into sewage system, workpits and cellars.  
Do not allow contact with soil, surface or ground water.  
If the product contaminates rivers and lakes or drains inform respective authorities.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Appearance	liquid
Colour	colourless
Odour	very faint
Odour Threshold	No data available
pH	8 - 10 (23 °C) Concentration: 1 % hydrolyses
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	ca. 195 °C(1.013 hPa) Method: ISO 2719
Evaporation rate	not applicable
Flammability (solid, gas)	not applicable
Upper explosion limit / Upper flammability limit	No data available
Lower explosion limit / Lower flammability limit	No data available
Vapour pressure	ca. 5 hPa (20 °C) ca. 10 hPa (50 °C) ca. 11 hPa (55 °C)
Vapour density	No data available
Density	ca. 1,15 g/cm <sup>3</sup> (20 °C) Method: DIN 51757
Solubility(ies) Water solubility	immiscible (15 °C)
Partition coefficient: n-octanol/water	not determined
Auto-ignition temperature	not auto-flammable
Decomposition temperature	Thermal decomposition over 150°C

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

Viscosity  
Viscosity, dynamic ca. 800 mPa.s (23 °C)  
Method: DIN 53019

Explosive properties Not explosive

Oxidizing properties Not applicable

### 9.2 Other information

Flow time No data available

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

Container can be pressurized by carbon dioxide due to reaction with humid air and/or water.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions Amines and alcohols cause exothermic reactions.  
Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.  
With water (moisture): CO<sub>2</sub> is produced; pressure may build up inside closed containers (danger of bursting)

### 10.4 Conditions to avoid

Conditions to avoid Direct sources of heat.  
Strong sunlight for prolonged periods.

### 10.5 Incompatible materials

Materials to avoid Strong acids and strong bases  
Acids and bases  
Alcohols

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.  
In case of fire hazardous decomposition products may be produced such as:  
Isocyanates  
Hydrogen cyanide (hydrocyanic acid)

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

##### Product:

Acute oral toxicity LD<sub>50</sub> (Rat): > 2.000 mg/kg

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

Acute inhalation toxicity LC50 (Rat): 1,5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
The toxicological data has been taken from products of similar composition.

Acute dermal toxicity Based on available data, the classification criteria are not met.

**Components:**

**aliphatic polyisocyanate:**

Acute inhalation toxicity LC50 (Rat): 0,1 - 0,5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Skin corrosion/irritation**

**Product:**

Based on available data, the classification criteria are not met.

**Serious eye damage/eye irritation**

**Product:**

Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation**

**Product:**

Method

OECD Test Guideline 406  
Causes sensitisation on guinea-pigs.  
The toxicological data has been taken from products of similar composition.

Does not cause respiratory sensitisation.

**Components:**

**aliphatic polyisocyanate:**

May cause an allergic skin reaction.

**Germ cell mutagenicity**

**Product:**

Genotoxicity in vitro

Based on available data, the classification criteria are not met.

**Carcinogenicity**

**Product:**

Based on available data, the classification criteria are not met.

**Reproductive toxicity**

**Product:**

Effects on fertility

Based on available data, the classification criteria are not met.

Developmental Toxicity

Based on available data, the classification criteria are not met.

**STOT - single exposure**

**Product:**

Exposure routes

Assessment

Inhalation

May cause respiratory irritation.

**Components:**

**aliphatic polyisocyanate:**

Exposure routes

Inhalation



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

Assessment May cause respiratory irritation.

### STOT - repeated exposure

#### Product:

Based on available data, the classification criteria are not met.

### Aspiration toxicity

#### Product:

Based on available data, the classification criteria are not met.

### Further information

#### Product:

The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive 1272/2008. (See sections 2 and 3 for details).

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### Further information

#### Product:

Remarks : The product itself has not been tested. The mixture is classified in accordance with Annex I to EC Directive 1272/2008. (See sections 2 and 3 for details).

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

#### Product:

#### Toxicity to fish

LC50 (Danio rerio (zebra fish)): 28,3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
The toxicological data has been taken from products of similar composition.

#### Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
The toxicological data has been taken from products of similar composition.

#### Toxicity to algae/aquatic plants

IC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
The toxicological data has been taken from products of similar composition.

#### Toxicity to microorganisms

EC50 (activated sludge): > 10.000 mg/l  
Method: OECD Test Guideline 209  
The toxicological data has been taken from products of similar composition.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

### 12.2 Persistence and degradability

**Product:**

Biodegradability

not rapidly degradable

Biodegradation: 2 %

Exposure time: 28 d

Method: OECD Test Guideline 301

Together with water the resin turns at the surface into a solid and insoluble reaction product (polycarbamide) with a high melting point, by forming carbon dioxide.

**Components:**

**aliphatic polyisocyanate:**

Biodegradability

not rapidly degradable

Biodegradation: 2 %

Exposure time: 28 d

Method: OECD Test Guideline 301

### 12.3 Bioaccumulative potential

**Product:**

Bioaccumulation

No data available

**Components:**

**aliphatic polyisocyanate:**

Partition coefficient: n-octanol/water

log Pow: 3,0

### 12.4 Mobility in soil

**Product:**

Mobility

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Endocrine disrupting properties

**Product:**

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information

Do not allow product to enter into ground water, bodies of water or sewage systems.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Product

The user is responsible for proper coding and marking of any waste. When used as recommended, the waste code can be selected according

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

to the code of the European Waste Catalogue (EWC), category 17.09 "Other Construction and Demolition Waste"  
Unhardened product residues should be disposed of under the recommended waste code number.

Contaminated packaging

Packaging that is not properly emptied must be disposed of as the unused product.  
Empty packaging should be recycled through disposal systems.

Waste key for the unused product

08 01 11\* waste paint and varnish containing organic solvents or other hazardous substances

(\* ) hazardous waste in terms of the European directive 2008/98/EG

### SECTION 14: TRANSPORT INFORMATION

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

#### 14.6 Special precautions for user

Remarks

This information is not available.

#### 14.7 Maritime transport in bulk according to IMO instruments

Remarks

Not applicable

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

Directive 2010/75/EU

0 %

VOC

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

Directive 2004/42/EC 0 %

EU limit value for this product (cat. A/j) :140 g/l This product contains max140 g/IVOC.

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals Not applicable

Further notes For further information, see also Technical Data Sheet for the product.

### 15.2 Chemical safety assessment

This information is not available.

## SECTION 16: OTHER INFORMATION

**Changes from the previous version are indicated by markings in the left-hand margin. The information in this Safety Data Sheet corresponds to our present state of knowledge and conforms to both national and EU legislation. The user's working conditions are, however, beyond our knowledge and control. The user is responsible for complying with all necessary legal requirements. The information in this Safety Data Sheet describes the safety requirements of our product and does not constitute any assurance of product properties.**

### Full text of H-Statements

H317 : May cause an allergic skin reaction.  
H332 : Harmful if inhaled.  
H335 : May cause respiratory irritation.  
H412 : Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Skin Sens. : Skin sensitisation  
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## StoPur WV 100 Komp. B

Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Other information

It is possible in the interim period that you may find different markings on packaging compared to the Material Safety Data Sheet until stocks have been used up. We ask for your understanding in this matter.

Department issuing MSDS

Abteilung TIQ  
Sto SE & Co. KGaA Stühlingen  
p.hammerschmitt@sto.com

Product code  
REG\_EU / EN

PROD0524 PROD0525

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

---

## StoPur WV 100 Komp. B