

# Sustainability Data Sheet



## StoColor Climasan

**Odour-reducing, dead-matt interior emulsion paint, tested for harmful substances, wet-scrub resistance 2 and hiding power 1 in accordance with EN 13300**

For product description see Technical Data Sheet (if available)

### Information for building certifications in accordance with DGNB

**Quality level (ENV1.2, in accordance with the criteria matrix, DGNB System Version 2018)**

no. 2: coatings mainly on mineral substrates in interiors (decorative paints, primers, decorative fillers): meet quality level 4 - solvent-free and plasticiser-free (in accordance with VdL guideline 01) or DE-UZ 102

**Quality level (ENV1.2, in accordance with the criteria matrix, DGNB System Version 2023)**

no. 2: coatings mainly on mineral substrates in interiors (decorative paints, primers, decorative fillers): meet quality level 2 - volatile organic compound content < 30 g/l (in accordance with Directive 2004/42/CE)

**Product-specific LCA values (ENV 1.1 and ENV 2.1)**

in accordance with EPD

**Product-specific life cycle (ECO1.1)**

10 years in interior application (in accordance with BNB)

**Impact on acoustic comfort (SOC1.3)**

not assessed

**Cleaning instructions (PRO1.5 and TEC1.5)**

see Technical Data Sheet

**Easy to recycle building material selection (TEC1.6)**

can be reworked

### Information for building certifications in accordance with LEED

**VOC content (EQ Credit: Low-emitting materials)**

see Safety Data Sheet (section 15)  
in accordance with Directive 2004/42/CE  
Met in accordance with LEED v.4

**VOC and SVOC emissions (EQ Credit: Low-emitting materials)**

TÜV SÜD  
Met in accordance with LEED v.4

**Formaldehyde emissions**

TÜV SÜD  
Not met in accordance with LEED v.4

**Recyclable percentage (post-consumer recycled content) (MR Credit: Sourcing of raw materials)**

0 %

# Sustainability Data Sheet



## StoColor Climasan

**Recyclable percentage (pre-consumer recycled content) (MR Credit: Sourcing of raw materials)** 0 %


**Renewable raw materials (bio-based materials) (MR Credit: Sourcing of raw materials)** 0 %

### Information for building certifications in accordance with BREEAM


|  |   |
|--|---|
| <b>Formaldehyde (Hea 02: indoor air quality)</b>   | limit of quantification $\leq 0.06 \text{ mg/m}^3$<br>below the limit of quantification, see test report                      |
| <b>VOC content (Hea 02: indoor air quality)</b>    | see Safety Data Sheet (section 15)  |
| <b>VOC emissions (Hea 02: indoor air quality)</b>  | limit of quantification $\leq 0.3 \text{ mg/m}^3$ (excellent quality)<br>below the limit of quantification, see test report   |
| <b>SVOC emissions (Hea 02: indoor air quality)</b> | limit of quantification $\leq 0.1 \text{ mg/m}^3$ (excellent quality)<br>below the limit of quantification, see test report   |
| <b>CMR substances (Hea 02: indoor air quality)</b> | limit of quantification $\leq 0.001 \text{ mg/m}^3$ (excellent quality)<br>below the limit of quantification, see test report |

### Eco-labels and environmental labels


**Certificates, eco-label, environmental label**




TÜV SÜD - testing for health-relevant ingredients and emissions, regular product and process monitoring, inspection of input materials  
([www.tuvsud.com/schadstoffpruefung-bauprodukte](http://www.tuvsud.com/schadstoffpruefung-bauprodukte))  
TÜV SÜD - Certificate/eco-label no. TM-07/250901-1



Declaration of conformity No. ECO-FR-061



Declaration of conformity No. ECO-CH-003



ecobau / Minergie ECO classification: eco2  
(ecobau Methodik Baumaterialien (methodology on building materials)) annex 4, January 2023)

# Sustainability Data Sheet



## StoColor Climasan

### Environmental Product Declaration (EPD)



EPD-VDL-20240618-IBN1

### GISCODE (in accordance with GISBAU)

BSW20

### Safety Data Sheet (SDS)

available

### Technical Data Sheet (TDS)

available

## Product ingredients

### Composition

In accordance with the VdL directive (German Paint and Printing Ink Association) on coating materials for buildings  
 Polymer dispersion  
 titanium dioxide  
 silicate extenders  
 Water  
 Thickener  
 anti-foaming agents  
 dispersing agent  
 wetting agents  
 storage protection agent based on BIT/ZPT  
 storage protection agent based on CIT/MIT 3:1

### Organic component (in accordance with natureplus, baubook)

> 5 %

### Hazardous substances (in accordance with EU regulations)

See Safety Data Sheet (section 3)

### CMR substances (VOC)

contains titanium(IV) oxide (not in powder-form)

### VOC content (in accordance with Directive 2004/42/CE)

see Safety Data Sheet (section 15)

### Plasticiser

plasticiser-free (materials in accordance with VdL guideline 01), (according to measurement)

### Free formaldehyde

formaldehyde-free in accordance with VdL Guideline 01

# Sustainability Data Sheet



## StoColor Climasan

|   |   |
|---|---|
| <b>Biocide(s), active substance(s) for protection of the coating (in accordance with Regulation (EU) No 528/2012)</b>   | not present   |
| <b>Biocide(s), active substance(s) for protection of the product during storage (in accordance with Regulation (EU) No 528/2012)</b>  | included, see Safety Data Sheet (section 2), content below the limit values according to RAL-UZ-102 appendix 1  |
| <b>Heavy metals</b>   | below limiting value(< 1 mg/kg, per heavy metal) (migration in accordance with EN 71-3)   |
| <b>Compliance with the emissions restrictions of the titanium dioxide industry (in accordance with Directive 2010/75/EU and 25th Ordinance for the Implementation of the Federal Immission Control Act)</b> | yes   |
| <b>SVHC in accordance with the chemicals regulation REACH (EG/1907/2006), notes XIV</b>   | not present   |
| <b>Emissions, CO2 balance sheet</b>   |   |
| <b>Carbon dioxide value (manufacturing A1-A3) (cradle-to-gate)</b>  | 1,57 kg CO2e / kg   |
| <b>Carbon dioxide value (life cycle A1-D)</b>   | 1,64 kg CO2e / kg   |
| <b>Semi-volatile organic compounds SVOCs</b>  | cannot be determined (limit of quantification: 0.002 mg/m <sup>3</sup> ) (see test report)  |
| <b>Disposal, re-use, recycling</b>  |   |
| <b>Disposal of residue</b>  | see Safety Data Sheet (section 13)  |
| <b>Disposal of dismantled building material</b>   | can be reworked, refer to EPD chapter 2.14 and 2.15   |
| <b>Packaging, pails, films</b>  | The return of used packaging and its correct recycling is organised and certified in accordance with the statutory requirements with a regional disposal company. |
| <b>Sto corporate responsibility</b>   |   |

# Sustainability Data Sheet



## StoColor Climasan

### Guiding principles, management of the company

Sto's vision is to be the technology leader in the sustainable design of living space tailored to human needs. Worldwide. For further information please visit: [www.sto.com](http://www.sto.com)

### UN Global Compact - membership

Sto is a member of the UN Global Compact and is committed to upholding ten universally acknowledged principles taken from the areas of human rights, labour standards, environmental protection, and anti-corruption. For further information please visit: [www.unglobalcompact.org](http://www.unglobalcompact.org)

### ILO fundamental conventions

Sto has committed itself to adhering to the ILO fundamental conventions at all of its locations.

### Quality management, environmental management, energy management

Production location certified in accordance with DIN EN 9001, DIN EN 14001, and DIN EN 50001.

### Supplier code of conduct

The Sto Supplier Code of Conduct is based on the principles of the UN Global Compact and the Sto Guiding Principles. Suppliers must adhere to these and are continuously evaluated.

This document aims to help you better assess the sustainability of our products. We consider sustainability to be a complex process that involves bringing together economic, ecological, and social criteria in order to satisfy the needs of current and future generations. Our products aim to contribute to this, while also meeting the requirements placed on them with respect to well-being, quality, and functionality. We regard sustainability as a process of continuous improvement, not one with an end result. With this in mind, we have defined the following core statements for our products:

1. Sto products make a contribution to key aspects of sustainability: e.g. climate protection, building, energy, and resource efficiency, protection and durability, health, and well-being.
2. All of the raw materials used in Sto products fulfil the functions for their application and are optimised with respect to their impact on the environment - based on the latest technology.
3. Sto products are produced in an energy and resource-efficient manner; renewable raw materials are used when appropriate and acceptable from an ecological, economical, and social perspective.
4. Sto evaluates and promotes the potential to dispose of, reuse, and recycle its products, taking technological and economical feasibility into account.

It is not just down to us to determine how the sustainability of our products is interpreted and evaluated - your opinions and decisions also play a role. The information listed here, which has the environment and health as its main focus, aims to assist you in this regard.

The information and data contained in this sustainability data sheet is based on our knowledge and experience. The publication of a new sustainability data sheet invalidates all previous versions. Please observe the information in the Technical Data Sheet and Safety Data Sheet. The latest version is available on the Internet.

Sto SE & Co. KGaA

# Sustainability Data Sheet

---

## StoColor Climasan



Ehrenbachstr. 1  
D - 79780 Stühlingen  
Phone: 07744 57-0  
infoservice@sto.com  
www.sto.de