


SCALE 1:2

STO/CONCRETE BLOCK	STOVENEER WOOD SYSTEM	VWCB 300
	EXTERNAL CORNER	2020


The information contained on this page is based on our experience and research at the date of issue. The detail is for use by Registered Architects, Licensed Designers or Chartered Engineers to assist in developing project details using Sto Systems. Stoanz Ltd reserve the right to alter or update information at any time without prior notice and it is the responsibility of the designer, project manager or Sto contractor to insure they have and use the current Sto details and specifications on site.



SCALE: 1:2

STO/CONCRETE BLOCK	STOVENEER WOOD SYSTEM INTERNAL CORNER	VWCB 301
		2020

The information contained on this page is based on our experience and research at the date of issue. The detail is for use by Registered Architects, Licensed Designers or Chartered Engineers to assist in developing project details using Sto Systems. Stoanz Ltd reserve the right to alter or update information at any time without prior notice and it is the responsibility of the designer, project manager or Sto contractor to insure they have and use the current Sto details and specifications on site.




NOTE: REMOVE CONTROL JOINT TAB CAREFULLY AS SOON AS STO RFP ADHESIVE HAS SET TO AVOID CRACKS IN THE SYSTEM.

VERTICAL CONTROL JOINTS AT 5.4M CTRS MAX. PREFERABLY ABOVE & BELOW JOINERY JAMB LINE.

SCALE 1:2

STO/CONCRETE BLOCK	STO VENEER WOOD SYSTEM	VWCB 302
	VERTICAL CONTROL JOINT	2020



STO/CONCRETE BLOCK	STO VENEER WOOD SYSTEM	VWCB 303
	HORIZ. JUNCTION - NON DRAINING	2020

The information contained on this page is based on our experience and research at the date of issue. The detail is for use by Registered Architects, Licensed Designers or Chartered Engineers to assist in developing project details using Sto Systems. Stoanz Ltd reserve the right to alter or update information at any time without prior notice and it is the responsibility of the designer, project manager or Sto contractor to insure they have and use the current Sto details and specifications on site.